

Contents Volume 40, 2000

Research Papers

- Organic-walled microfossils of possible dinoflagellate affinity from the Lower Permian of Sonora (northwest Mexico)
U. Leppig and M. Montenari 1
- Dinoflagellate cyst evidence of 'Heinrich-like events' off Portugal during the Marine Isotopic Stage 5
F. Eynaud, J.L. Turon, M.F. Sánchez-Goni and S. Gendreau 9
- Anomalous occurrences of *Neogloboquadrina pachyderma* (left) in a 420-ky upwelling record from Walvis Ridge (SE Atlantic)
E. Ufkes, J.H.F. Jansen and R.R. Schneider 23
- Modern diatom assemblages in surface sediments from the Maritime Estuary and the Gulf of St. Lawrence, Québec (Canada)
M. Lapointe 43
- Biochronology and evolutionary implications of Late Neogene California margin planktonic foraminiferal events
M. Kucera and J.P. Kennett 67
- The paleoceanography for the last 30,000 years in the southeastern Indian Ocean by means of calcareous nannofossils
K. Takahashi and H. Okada 83
- Species composition and glacial–interglacial variations in the ostracode fauna of the northeast Atlantic during the past 200,000 years
C. Didié and H.A. Bauch 105
- Seasonal phytodetritus deposition and responses of bathyal benthic foraminiferal populations in Sagami Bay, Japan: preliminary results from "Project Sagami 1996–1999"
H. Kitazato, Y. Shirayama, T. Nakatsuka, S. Fujiwara, M. Shimanaga, Y. Kato, Y. Okada, J. Kanda, A. Yamaoka, T. Masuzawa and K. Suzuki 135
- Organic flux control on bathymetric zonation of Mediterranean benthic foraminifera
S. De Rijk, F.J. Jorissen, E.J. Rohling and S.R. Troelstra 151
- Trophic control of benthic foraminiferal abundance and microhabitat in the bathyal Gulf of Lions, western Mediterranean Sea
G. Schmiedl, F. de Bovée, R. Buscail, B. Charrière, C. Hemleben, L. Medernach and P. Picon 167
- The response of benthic foraminifera to carbon flux and primary production in the Arctic Ocean
J.E. Wollenburg and W. Kuhnt 189
- Microhabitat preferences and stable carbon isotopes of endobenthic foraminifera: clue to quantitative reconstruction of oceanic new production?
A. Mackensen, S. Schumacher, J. Radke and D.N. Schmidt 233
- Last glacial paleoproductivity patterns in the eastern equatorial Pacific: benthic foraminifera records
J.C. Herguera 259
- Faunal perspectives on paleoproductivity: A planktonic zones in the Red Sea
M. Fenton, S. Geiselhart, E.J. Rohling and C. Hemleben 277
- The influence of the NE winter monsoon on productivity changes in the Gulf of Aden, NW Arabian Sea, during the last 530 ka as recorded by foraminifera
A. Almogi-Labin, G. Schmiedl, C. Hemleben, R. Siman-Tov, M. Segl and D. Meischner 295

Paleoproductivity changes in the upwelling system of Socotra (Somali Basin, NW Indian Ocean) during the last 72,000 years: evidence from biological signatures M.-T. Vénec-Peyré and J.-P. Caulet	321
Comparative ecological analysis of the ostracod faunas from low- and high-polluted southwestern Spanish estuaries: a multivariate approach F. Ruiz, M.L. Gonzalez-Regalado, J.I. Baceta and J.M. Muñoz	345
Southern Ocean Pleistocene calcareous nannofossil events: calibration with isotope and geomagnetic stratigraphies J.-A. Flores, R. Gersonde, F.J. Sierro and H.-S. Niebler	377
Subtropical Front fluctuations south of Australia (45°09'S, 146°17'E) for the last 130 ka years based on calcareous nannoplankton C.S. Findlay and J.A. Flores	403
Extant calcareous nannoplankton in the Australian Sector of the Southern Ocean (austral summers 1994 and 1995) C.S. Findlay and J. Giraudeau	417
<i>Author Index Volume 40, 2000</i>	441
<i>Cumulative author index volumes 38–40, 1999–2000</i>	445

